ADDENDUM NO. 2

TO

CITY OF SOUTH PORTLAND, MAINE WATERMAN DRIVE PARKING IMPROVEMENTS

BID #04-15

August 28, 2014

PREPARED BY:

SEBAGO TECHNICS, INC. 75 John Roberts Road Suite 1A South Portland, ME 04106



14083

ADDENDUM NO. 2

WATERMAN DRIVE PARKING IMPROVEMENTS BID #04-15

The Contract Documents govern all aspects of the project. Informal discussions held during a Pre-Bid Conference or over the telephone are informational only. All official changes to the Contract Documents are made only by addenda. The following changes and additional information are hereby made a part of the Contract Documents.

GENERAL CLARIFICATIONS

Replace Addendum No. 1 in its entirety with the Addendum No. 2. All requirements of Addendum No. 1 are eliminated by issuance of Addendum No. 2. Addendum No. 2 includes an add alternate for the parking areas and associated work between "A" Street and "B" Street.

SPECIFICATIONS

1. Bid Form, DELETE Section 00310 BID FORM in its entirety and REPLACE with Section 00310 BID FORM dated August 28, 2014 attached to this Addendum.

REVISED PLANS

The following plans have been revised as described below.

1. <u>DELETE</u> Sheet 3 LAYOUT PLAN; Revision A through B dated August 13, 2104 and August 21, 2014 respectively and <u>REPLACE</u> with Sheet 3 LAYOUT PLAN "Revision C Addendum 2" dated August 28, 2014.

ATTACHMENT 1

Revised Section 00310 BID FORM

SECTION 00310

BID FORM

| PROJECT IDENTIFICATION: | Waterman Drive Parking Improvements | |
|---------------------------|-------------------------------------|--|
| | (Bid# 04-15) | |
| THIS BID IS SUBMITTED TO: | City of South Portland | |
| | 25 Cottage Road | |
| | South Portland, Maine 04106 | |

- 1. The undersigned Bidder proposes and agrees, if this Bid is accepted, to enter into an agreement with Owner in the form included in the Contract Documents to perform and furnish all Work as specified or indicated in the Contract Documents for the Contract Price and within the Contract Time indicated in this Bid and in accordance with the other terms and conditions of the Contract Documents.
- 2. Bidder accepts all of the terms and conditions of the Advertisement or Invitation to Bid and Instructions to Bidders, including without limitation those dealing with the disposition of Bid security. This Bid will remain subject to acceptance for 60 days after the day of Bid opening. Bidder will sign and submit the Agreement with the Bonds and other documents required by the Bidding Requirements within fifteen days after the date of Owner's Notice of Award.
- 3. In submitting this Bid, Bidder represents, as more fully set forth in the Agreement, that:
 - (a) Bidder has examined copies of all the Bidding Documents and the following Addenda (receipt of all which is hereby acknowledged):

| <u>Date</u> | <u>Number</u> |
|-------------|---------------|
| 8-21-14 | Addendum 1 |
| 8-28-14 | Addendum 2 |
| | |
| | |
| | |
| ***** | |

(b) Bidder acknowledges that his Bid will be rejected unless the Issuing Office has a record that the Bidder has purchased at least one set of paper Bidding Documents from the Issuing Office.

- (c) Bidder has familiarized itself with the nature and extent of the Contract Documents, Work, site, locality, and all local conditions and Laws and Regulations that in any manner may affect cost, progress, performance or furnishing of the Work.
- (d) Bidder has studied carefully all reports and drawings of subsurface conditions and drawings of physical conditions which are identified in the Supplementary Conditions as provided in Paragraph 4.02 of the General Conditions, and accepts the determination set forth in Paragraph SC-4.02 of the Supplementary Conditions of the extent of the technical data contained in such reports and drawings upon which Bidder is entitled to rely.
- (e) Bidder has obtained and carefully studied (or assumes responsibility for obtaining and carefully studying) all such examinations, investigations, explorations, tests and studies (in addition to or to supplement those referred to in (c) above) which pertain to the subsurface or physical conditions at the site or otherwise may affect the cost, progress, performance or furnishing of the Work as Bidder considers necessary for the performance or furnishing of the Work at the Contract Price, within the Contract Time and in accordance with the other terms and conditions of the Contract Documents, including specifically the provisions of Paragraph 4.02 of the General Conditions; and no additional examinations, investigations, explorations, tests, reports or similar information or data are or will be required by Bidder for such purposes.
- (f) Bidder has reviewed and checked all information and data shown or indicated on the Contract Documents with respect to existing Underground Facilities at or contiguous to the site and assumes responsibility for the accurate location of said Underground Facilities. No additional examinations, investigations, explorations, tests, reports or similar information or data in respect of said Underground Facilities are or will be required by Bidder in order to perform and furnish the Work at the Contract Price, within the Contract Time and in accordance with the other terms and conditions of the Contract Documents, including specifically the provisions of Paragraph 4.03 of the General Conditions.
- (g) Bidder has correlated the results of all such observations, examinations, investigations, explorations, tests, reports and studies with the terms and conditions of the Contract Documents.
- (h) Bidder has given Engineer written notice of all conflicts, errors or discrepancies that it has discovered in the Contract Documents and the written resolution thereof by Engineer is acceptable to Bidder.
- (i) The Bid is genuine and not made in the interest of or on behalf of any undisclosed person, firm or corporation and is not submitted in conformity with any agreement or rules of any group, association, organization or corporation; Bidder has not directly or indirectly induced or solicited any other Bidder to submit a false or sham Bid; Bidder has not solicited or induced any person, firm or corporation to refrain from bidding; and Bidder has not sought by collusion to obtain for itself any advantage over any other Bidder or over Owner.

- (j) Bidder understands that the Owner reserves the right to reject any or all bids.
- (k) Bidder understands that, if the contract is to be awarded, it will be awarded to the lowest responsive, responsible bidder whose evaluation by Owner indicates to Owner that the award will be in the best interests of the Project.
- (l) The bid security attached in the amount of five percent of the Total Bid is to become the property of the Owner in the event the contract and bond are not executed within the time above set forth, as liquidated damages for the delay and additional expense to the Owner caused thereby.
- 4. Bidder will complete the Work described in the Contract Documents for the following price(s):

| | | | Unit | Price | Total | Price |
|----------|---------|--|---------|-------|---------|-------|
| Item No. | Quanity | Item with Unit Bid Price Written in Words | Dollars | Cents | Dollars | Cents |
| | LS | Remove Sidewalk, Replace with Loam and Seed | | | | |
| 202.111 | | <u>@</u> | | | | |
| | 1 | Lump Sum | | | | |
| | CY | *Common Excavation | | | | |
| 203.2 | : | | | | | |
| | 20* | Per Cubic Yard | | | | |
| | CY | *Granular Borrow | | | | |
| 203.25 | | <u>@</u> | | | | |
| | 20* | Per Cubic Yard | | | | |
| | CY | *Crushed Stone 703.31 (Overdepth) | | | | |
| 203.335 | | <u>@</u> | | | | |
| | 20* | Per Cubic Yard | | | | |
| | CY | Srtructural Earth Excavation (Overdepth) Below Grade Structure | | | | |
| 206.061 | | | | | | |
| | 20 | Per Cubic Yard | | | | |
| | CY | Structural Rock Excavation | | | | |
| 206.07 | | | | | | |
| | 10 | Per Cubic Yard | | | | |
| | CY | *Aggregate Base Course Crushed, Type "A" | | | | |
| 304.09 | | @ | | | | |
| | 20 | Per Cubic Yard | | | | |
| | CY | *Aggregate Subbase Course – Gravel, Type "D" | | | | |
| 304.1 | | | | | | |
| | 20 | Per Cubic Yard | | | | |
| | SY | Partial Depth Street and Parking Construction-Plan Quantity | | | | |
| 311.02 | | <u></u> | | | | |
| | 497 | Per Square Yard | | | | |
| | SY | Full Depth Street and Parking Construction-Plan Quantity | | | | |
| 311.03 | | | | | | |
| | 566 | Per Square Yard | | | | |
| | LF | 12 Inch Diameter PVC or HDPE Storm Drain Pipe | | | | |
| 603.159 | | | | | | |
| | 73 | Per Linear Foot | | | | |
| | 1 | | | · | 1 | |

| | | | Unit Price | | Total Price | |
|----------|---------|--|------------|-------|-------------|-------|
| Item No. | Quanity | Item with Unit Bid Price Written in Words | Dollars | Cents | Dollars | Cents |
| | EA | Install 4 Foot Diameter Catch Basin @ | | | | |
| 604.131 | 1 | Per Each | | | | |
| | 1 | | | | | |
| | EA | Alter Catch Basin to Manhole | | | | |
| 604.16 | 1 | Per Each | | | | |
| | EA | Modify Structure @ | | | | |
| 604.161 | 1 | Per Each | | | | |
| 600.0 | SY | Hot Bituminous Sidewalk-Plan Quantity @ | | | | |
| 608.2 | 73 | Per Square Yard | | | | |
| (20.0) | SF | Curb Ramp Detectable Warning @ | | | | |
| 608.26 | 48 | Per Square Foot | | | | |
| (00.46 | SY | Regrade and Re-Pave Sidewalk-Plan Quantity @ | | | | |
| 608.46 | 246 | Per Square Yard | | | | |
| 600.10 | LF | Install New 5 Inch Vertical Granite Curb, Type 1 - Circular @ | | | | |
| 609,12 | 28 | Per Linear Foot | | | | |
| 609.2341 | EA | Install New 5 Inch – 4' Foot Tipdown Circular Curb, Type 1 @ | | | | |
| 009.2341 | 5 | Per Each | | | | |
| 609.237 | EA | Install New 5 Inch – 7 Foot Tipdown Curb, Type 1 @ | | | | |
| 009.237 | 2 | Per Each | | | · | |
| 609.2371 | EA | Install New 5 Inch – 7' Foot Tipdown Circular Curb, Type 1 @ | | | | |
| 007,23/1 | 3 | Per Each | | | | |
| 609.26 | EA | Curb Transition Section B Type 1 @ | | | | |
| 007.20 | 2 | Per Each | | | | |

| | | | Unit | Price | Total | Price |
|----------|---------|--|---------|-------|---------|-------|
| Item No. | Quanity | Item with Unit Bid Price Written in Words | Dollars | Cents | Dollars | Cents |
| | LF | Install New Granite Curb, Type 5 - Straight @ | | | | |
| 609.34 | 31 | Per Linear Foot | | | | |
| | LF | Install New Granite Curb, Type 5 - Circular @ | | | | |
| 609.35 | 45 | Per Linear Foot | | | | |
| | LF | Remove and Reset Existing Granite Curb | | | | |
| 609.38 | 169 | Per Linear Foot | | | | |
| | LF | Remove and Stack Existing Granite Curb @ | | | | |
| 609.5 | 462 | Per Linear Foot | | | | |
| | LS | Loam Seed and Mulch @ | | | : | |
| 615.072 | 1 | Lump Sum | | | | |
| | LS | Landscape Plants- Including Transplanted Tree @ | | | | |
| 621 | 1 | Lump Sum | | | | |
| | LS | White or Yellow Paint Pavement Marking Line @ | | | | |
| 627.711 | 1 | Lump Sum | | | | |
| (00.05 | HR | Hand Labor, Straight Time @ | | | | |
| 629.05 | 10 | Per Hour | | | | |
| 620.06 | HR | Mason, Straight Time @ | | | | |
| 629.06 | 10 | Per Hour | | | | |
| 621 105 | HR | Air Tool and Compressor (includign Operator) @ | | | | |
| 631,105 | 10 | Per Hour | | | | |
| 623 12 | HR | All- Purpose Excavator (Including Operator) | | | | |
| 631.12 | 10 | Per Hour | | | | |

| | | | Unit Price | | Total Price | |
|----------|---------|---|------------|-------|-------------|-------|
| Item No. | Quanity | Item with Unit Bid Price Written in Words | Dollars | Cents | Dollars | Cents |
| | HR | Heavy Duty All-Purpose Excavator (Including Operator) @ | | | | |
| 632.121 | 10 | Per Hour | | | | |
| | HR | Truck- Small or Large (Including Operator) | | | | |
| 631.171 | 10 | Per Hour | | | | |
| 631,22 | HR | Front End Loader (Including Operator) @ | | | | |
| 031,22 | 10 | Per Hour | | | | |
| | HR | Foreman, Straight Time @ | | | | |
| 631.36 | 10 | Per Hour | | | | |
| | LS | Demount and Reinstall Regulatory Signs, Furnish and Install Handicap Parking @ | | | | |
| 645.106 | 1 | Lump Sum | | | | |
| | LS | Work Zone Traffic Control, Including Flaggers | | | | |
| 652.39 | 1 | Lump Sum | | | | |
| | LS | Temporary Soil Erosion and Water Polution Control @ | | | | |
| 656.75 | 1 | Lump Sum | | | | |
| | LS | Mobilization and General Conditions @ | | | | |
| 659.1 | 1 | Lump Sum | | | | |
| 00011 | LS | Remove Sidewalk, Replace with Loam and Seed (Add Alt) | | | | |
| 202.111A | 1 | Lump Sum | | | | |
| 21-02: | SY | Full Depth Street and Parking Construction-(Add Alt) | | | | |
| 311.03A | 425 | Per Square Yard | | | | |
| | LF | 12 Inch Diameter PVC or HDPE Storm Drain Pipe (Add Alt) @ | | | | |
| 603.159A | 49 | Per Linear Foot | | | | |

| | | | Unit | Price | Total | Price |
|------------|---------|--|---------|-------|---------|-------|
| Item No. | Quanity | Item with Unit Bid Price Written in Words | Dollars | Cents | Dollars | Cents |
| | EA | Install 4 Foot Diameter Catch Basin (Add Alt) @ | | | | |
| 604.131A | 2 | Per Each | | | | |
| | EA | Alter Catch Basin to Manhole (Add Alt) @ | | | | |
| 604.16A | 1 | Per Each | | | | |
| 604.161.4 | EA | Modify Structure (Add Alt) @ | | | | |
| 604.161A | 1 | Per Each | | | | |
| 608.2A | SY | Hot Bituminous Sidewalk-Plan Quantity (Add Alt) @ | | | | |
| 000.2A | 195 | Per Square Yard | | | | |
| 608.26A | SF | Curb Ramp Detectable Warning (Add Alt) @ | | | | |
| 003.2071 | 48 | Per Square Foot | | | | |
| 609.12A | LF | Install New 5 Inch Vertical Granite Curb, Type 1 - Circular (Add Alt) @ | | | | |
| 003.1271 | 14 | Per Linear Foot | | | | |
| 609.234A | EA | Install New 5 Inch – 4' Foot Tipdown Curb, Type 1 (Add Alt) @ | | | | |
| 007.22 171 | 1 | Per Each | | | | |
| 609.2341A | EA | Install New 5 Inch – 4' Foot Tipdown Circular Curb, Type I (Add Alt) @ | | | | |
| | 3 | Per Each | | | | |
| 609.237A | EA | Install New 5 Inch – 7 Foot Tipdown Curb, Type 1 (Add Alt) @ | | | | |
| | 1 | Per Each | | | | |
| 609.2371A | EA | Install New 5 Inch – 7' Foot Tipdown Circular Curb, Type 1 (Add Alt) @ | | | | |
| | 5 | Per Each | | | | |
| 609.26A | EA | Curb Transition Section B Type 1 (Add Alt) @ | | | | |
| | 2 | Per Each | | | | |

| | | | Unit Price | | Total | Price |
|-----------|---------|---|------------|-------|---------|-------|
| Item No. | Quanity | Item with Unit Bid Price Written in Words | Dollars | Cents | Dollars | Cents |
| 500.011 | LF | Install New Granite Curb, Type 5 - Straight (Add Alt) @ | | | | |
| 609.34A | 20 | Per Linear Foot | | | | |
| | LF | Install New Granite Curb, Type 5 - Circular (Add Alt) @ | | | | |
| 609.35A | 31 | Per Linear Foot | | | | |
| | LF | Remove and Reset Existing Granite Curb (Add Alt) @ | | | | |
| 609.38A | 177 | Per Linear Foot | | | | |
| | LF | Remove and Stack Existing Granite Curb (Add Alt) | | | | |
| 609.5A | 85 | Per Linear Foot | | | | |
| | LS | Loam Seed and Mulch(Add Alt) @ | | | | |
| 615.072A | 1 | Lump Sum | | | | |
| | LS | Landscape Plants- Including Transplanted Tree (Add Alt) @ | | | | |
| 621A | 1 | Lump Sum | | | | |
| | LS | White or Yellow Paint Pavement Marking Line (Add Alt) @ | | | | |
| 627.711A | 1 | Lump Sum | | | | |
| 645.106A | LS | Demount and Reinstall Regulatory Signs, Furnish and Install Handicap Parking Signs (Add Alt) @ | | | | |
| 0.0.10011 | 1 | Lump Sum | | | | |
| | LS | Work Zone Traffic Control, Including Flaggers (Add Alt) @ | | | | |
| 652.39A | 1 | Lump Sum | | | | |

| | | | Unit | Price | Total | Price |
|----------|---------|--|---------|-------|---------|-------|
| Item No. | Quanity | Item with Unit Bid Price Written in Words | Dollars | Cents | Dollars | Cents |
| | LS | Temporary Soil Erosion and Water Polution Control (Add Alt) @ | | | | |
| 656.75A | I | Lump Sum | | : | | |

| | TOTAL COST |
|--|------------|
| TOTAL AMOUNT OF BASE BID, WRITTEN AND IN FIGURES BASED ON ESTIMATE OF QUANTITIES. | |
| TOTAL AMOUNT OF BASE BID WITH ADD ALTERNATE PAY ITEMS, WRITTEN AND IN FIGURES BASED ON ESTIMATE OF QUANTITIES. | |
| | |

| IOI | CAL BASE BID: Total of All Items | ረ ቀ |
|------------------|--|--|
| | | (\$ (use figures) |
| | (use words) | |
| тот | CAL BASE BID WITH ADD ALTERNATES: Total of All | Items |
| 101 | AL BASE BID WITH ADD ALTERVATES. Total Of the | |
| | | (\$(use figures) |
| | (use words) | |
| ŗ | Bidder agrees that the Work will be substantially complete an asyment in accordance with Paragraph 14.07 of the General Corwithin the number of calendar days indicated in the Agreement of the A | onditions on or before the dates nent. |
| | Bidder accepts the provisions of the Agreement as to liqui- ailure to complete the Work on time. | dated damages in the event of |
| 6. T | The following documents are attached to and made a condition | n of this Bid: |
| (| a) This Bid Form in its Entirety. | |
| (| b) Required Bid Security. | |
| (| c) Verification of bonding capacity. | |
| (| d) Certification of Contractor Regarding Segregated Facil SC-20). | ities (Supplemental Conditions |
| (| e) Certification of Bidder Regarding Equal Opportunity (Su | pplemental Conditions SC-20). |
| (| f) Section 3 Affirmative Action Plan (Supplemental Condit | ions SC-20). |
| 7. (- | Communications concerning this Bid shall be addressed to: | |
| | Phone: Fax: | |

the General Conditions.

| RESPECTFULLY SUBMITTED on, 20 | |
|---------------------------------------|--------|
| If Bidder is | |
| An Individual | |
| By | (SEAL) |
| (Individual's Name) doing business as | |
| Business address: | |
| Phone No.: | - |
| A Partnership | |
| Ву | (SEAL) |
| (Firm Name) | |
| (General Partner) Business address: | |
| Phone No.: | |

| A Corporation | | |
|---|-------------------------------------|--------|
| Ву | | (SEAL) |
| • | (Corporation Name) | , |
| T | (State of Incorporation) | |
| By | (Name of Person Authorized to Sign) | (SEAL) |
| Bv | | |
| y | (Title) | |
| (Corporate Seal) | , , | |
| Attest | | |
| | (Secretary) | |
| | | |
| Phone No.: | | |
| A Joint Venture | | |
| Ву | | (SEAL) |
| | (Name) | |
| OWINAMINA IN INC. AND IN INC. | (Address) | |
| By | | (SEAL) |
| Ву | (Name) | |
| - -J | (Address) | , |

(Each joint venturer must sign. The manner of signing for each individual, partnership and corporation that is a party to the joint venture should be in the manner indicated above).

END OF SECTION